LEXAR 1GB JumpDrive Secure II

Mac Operating Instructions

NOTE: Prior to starting any of the following procedures, insert the JumpDrive into any available USB port.

## Installation Instructions

To install Secure II Software:

1. Double click the **"Lexar Secure II Drive"** icon on the Desktop.

2. Double click the **"Secure II"** Folder.

3. Double-click the **"Mac"** Folder.

4. Double-click the **"SecureII.exe"** file.

5. Click **"Install Vault Driver"**.

6. The **"Install Lexar Driver"** screen will display, click **"Continue"**.

7. The **"Software License Agreement"** screen will display, click **"Continue"**.

8. Click **"Agree"** to install the software.

9. The **"Select a Destination"** screen will display, select location for the software to be installed.

10. Click **"Continue"**.

11. The **"Easy Install on Macintosh…"** screen displays, click **"Install"**.

12. When prompted, authenticate with your *Username* and *Password* click **"OK"**.

13. A message will display asking to confirm installation, click **"Continue Installation"**.

14. Click **"Restart"** to complete the installation process.

15. Installation is complete when the Dashboard is displayed. **Note:** The Help button and an interactive help window that will guide you through the selected procedure.

Transfer Files to Jump Drive

To transfer files:

1. Open a finder window, browse for the file to be copied to the Jump Drive.
2. Open another Finder Window and Select the LEXAR Removable Disk.
3. Drag the file(s) to be encrypted into the **"LEXAR Removable Disk"** Window

NOTE: You may also Open, Save or Save As to work with files on the Jump Drive.

Encrypting Files

You can encrypt files on your computer and on the JumpDrive. Using encryption, you can protect your files so that unauthorized users can't read or access them. Secure II provides AES 256-bit encryption, the highest recommended government standard for encrypting.

To encrypt files:

1. From the LEXAR JumpDrive Dashboard, click **"File Encryption"**.


2. Click on the **"Encrypt Files"** tab.

3. There are two methods of adding files for encryption; Drag the file(s) to be encrypted into the list or click **"Add…"**

4. Select the file and then click **"Open"**.

5. Click **"Encrypt"**

6. When prompted, enter a password; the **"Strength meter"** is a security gauge to show if the chosen password is strong or weak. **Note**: A hint can be entered in the **"Password Hint"** field. If you encrypt multiple files at the same time, Secure II uses the same password to encrypt all files.

7. Click **"OK"** when encryption is complete to exit.

Note: Passwords need to be at least 8 characters long and you are responsible for remembering your own password. There is no password reset service available for this device.

Decrypting Files

To decrypt files:

1. From the LEXAR JumpDrive Dashboard, click **"File Encryption"**.

2. Click the **"Decrypt Files"** tab.

3. Drag the file(s) that you want to decrypt into the list or click **"Add"**.
4. Click **"Decrypt"**.

5. When prompted, enter the password and click **"OK"**.

6. Click **"OK"** when encryption is complete to exit.

NOTE: If you decrypt multiple files at the same time the files in the list that are encrypted with another password will not be decrypted.

Other Functionality

These operating instructions are intended to be a quick guide to get you started with Encrypting and Decrypting files. Other features listed below are available. You may use the Help feature with interactive instructions and information to help you operate these other features. Should you need any additional assistance, please feel free to call HELP (4357) and a member of our team will assist you.

Other Functions:

1. Dashboard Tour
2. Managing Vaults
3. Shredding
4. Customizing Secure II
5. Trouble Shooting